

# Client Update

October 2021

Page 1 of 1

Test Name	Test Code	Effective Date
Lipoprotein Particle Profile	H466	Immediately

Please be advised that the **Lipoprotein Particle Profile (LPP) (Test Code H466)** is temporarily unavailable and will not be performed at this time, due to a backorder of test reagents from the manufacturer. If H466 is included within a panel, including **Heart Health** and other custom panels, the remaining components of the panel will still be performed. Please refer to the table below for impacted panels.

Please note that for the Heart Health Profiles, other components will be available within the clinical test results reports, but patient-friendly color reports will temporarily be unavailable.

At this time, no other comparable tests are available. We apologize for any inconvenience and will be in touch when testing for H466 resumes.

Test Code	Test name
F306	Comprehensive Heart Health Baseline
F307	Comprehensive Heart Health Monitoring
Q471	Heart Health Baseline
Q472	Heart Health Monitoring
1618	PANEL 1618
5975	PANEL 5975
6744	PANEL 6744
6745	PANEL 6745
6993	PANEL 6993
9798	PANEL 9798
9817	PANEL 9817
H166	PANEL H166
H203	PANEL H203
H380	PANEL H380
H382	PANEL H382
H423	PANEL H423
H727	PANEL H727
H782	PANEL H782
H978	PANEL H978

Test Code	Test name
K030	PANEL K030
K031	PANEL K031
K099	PANEL K099
K622	PANEL K622
K866	PANEL K866
L215	PANEL L215
L231	PANEL L231
L235	PROFILE L235
L238	PANEL L238
L287	PANEL L287
L396	PANEL L396
L420	PANEL L420
L482	PANEL L482
L523	PANEL L523
L774	PANEL L774
M140	PANEL M140
M141	PANEL M141
Q631	PANEL Q631